

Dual Nx56/64 V.35



ATLAS 550 Module


Product Features

- Inverse multiplexes two to eight T1s
- Module includes four T1 ports and a single HSSI port
- Supports point-to-point applications only
- Automatic bandwidth adjustment/recovery
- Occupies one ATLAS 550 User Module slot
- Module does not impact other ATLAS 550 IAD applications
- Industry-leading five-year North American warranty

The ADTRAN® Dual Nx56/64 V.35 module combines with other ATLAS™ 550 components to provide solutions for a variety of wide area networking applications. Providing two synchronous V.35 DTE ports, the Dual Nx56/64 module serves as the interface for high speed routers and other DTE equipment to access the wide area network.

Each port of the Dual Nx56/64 module can be configured through software to operate at any multiple of 56k or 64 kbps, up to 2.048 Mbps. Using the ATLAS Channel Mapping Utility, a port can be mapped to one or more DS0s of a T1 circuit, providing high performance connections to remote locations.

The Dual Nx56/64 module includes an extensive array of diagnostic tools to assist in identifying and correcting network problems. Included is a built-in Self-Test utility, as well as standards-based 511 test pattern generators and detectors for both ports. Key interface signals from each port are monitored and displayed, providing real time status of network activity.





ADTRAN, Inc.

Attn: Enterprise Networks
901 Explorer Boulevard
Huntsville, AL 35806

P.O. Box 140000
Huntsville, AL 35814-4000

256 963-8000 voice
256 963-8699 fax
256 963-8200 fax back

General Information
800 9ADTRAN
info@adtran.com
www.adtran.com

Pre-Sales

Technical Support

800 615-1176 toll-free
application.engineer@adtran.com
www.adtran.com/support

Where to Buy

877 280-8416 toll-free
channel.sales@adtran.com
www.adtran.com/where2buy

Post-Sales

Technical Support

888 423-8726
support@adtran.com
www.adtran.com/support

ACES Installation & Maintenance Service

888 874-ACES
aces@adtran.com
www.adtran.com/support

International Inquiries

256 963 8000 voice
256 963-6300 fax
international@adtran.com
www.adtran.com/international

For the regional office nearest you, visit:

www.adtran.com/where2buy



ADTRAN is an ISO 9000: 2000 certified supplier.



ADTRAN is a TL 9000 3.0 registered company.

61200311L1-8C April 2003
Copyright © 2004 ADTRAN, Inc.
All rights reserved.

Dual Nx56/64

ATLAS 550 Module

Product Specifications

Physical Interface

- V.35 standard Winchester Female Connector

Operating Mode

- Synchronous, V.35

Data Rates

- Any multiple of 56k or 64 kbps up to 2.048 Mbps

Clock Options

- Internal, External, Internal Invert

Alarms

- Clock Slip
- No External Clock
- PLL Failed to Lock

Diagnostics

- Self-Test

Signal Monitoring

- RTS, CTS, DTR, DSR, DCD, RI, TD, RD

Agency Approvals

- FCC part 15, Class A, UL, and Canadian UL (CUL)

Environment

- **Operating:** 0° to 45°C (32° to 113°F)
- **Storage:** -20° to 70°C (-4° to 158°F)
- **Relative Humidity:** Up to 95%, non-condensing

Power

- 2 Watts maximum

Product Includes

- Quick Start Guide

Ordering Information

Equipment	Part #
Dual Nx56/64 Module	1200311L1

Specifications subject to change without notice. ATLAS is a trademark of ADTRAN, Inc. ADTRAN is a registered trademark of ADTRAN, Inc. All registered trademarks and trademarks mentioned in this publication are the property of their respective owners.